

# Stretching the Truth: Analyzing Pregnancy Stretch Mark Recommendations on Social Media



Shivani S. Ambardekar<sup>1,\*</sup>  and Craig G. Burkhart<sup>1,2</sup> 

<sup>1</sup>Department of Medicine, Division of Dermatology, University of Toledo College of Medicine and Life Sciences, Toledo, OH, USA

<sup>2</sup>Ohio University Heritage College of Osteopathic Medicine, Athens, OH, USA

## Abstract:

**Background:** Striae gravidarum (SG) is a common outcome of pregnancy, often leading to psychosocial distress. TikTok has become a popular source for SG prevention and treatment advice, but the scientific validity of this content remains unclear.

**Methods:** A cross-sectional analysis of the 100 most-liked TikTok videos on pregnancy stretch marks was performed. Data on engagement, content source, focus, and SG management recommendations were collected.

**Results:** The majority of the TikTok videos in the study featured personal anecdotes from social media influencers. Oil mixtures and cocoa butter were frequently recommended for SG prevention despite lacking efficacy. For existing SG, retinoids were the most mentioned treatment. Overall, non-evidence-based approaches dominated both the prevention and treatment recommendations in these videos.

**Conclusion:** Most SG-related TikTok content lacks a scientific basis, which may contribute to the spread of misinformation. There is a need for further research on SG, and healthcare professionals should prioritize promoting accurate, evidence-based content on social media to improve understanding and management of SG.

**Keywords:** Striae gravidarum, Social media, Pregnancy.

© 2025 The Author(s). Published by Bentham Open.

This is an open access article distributed under the terms of the Creative Commons Attribution 4.0 International Public License (CC-BY 4.0), a copy of which is available at: <https://creativecommons.org/licenses/by/4.0/legalcode>. This license permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

\*Address correspondence to this author at the Department of Medicine, Division of Dermatology, University of Toledo College of Medicine and Life Sciences, Toledo, OH, USA, 5725 Tiberon Ln, Apt 105, Toledo, OH, 43615; te;: 614-929-9523; E-mail: [Shivani.ambardekar@rockets.utoledo.edu](mailto:Shivani.ambardekar@rockets.utoledo.edu)

Cite as: Ambardekar S, Burkhart C. Stretching the Truth: Analyzing Pregnancy Stretch Mark Recommendations on Social Media. Open Dermatol J, 2025; 19: e18743722366578. <http://dx.doi.org/10.2174/0118743722366578250311031652>



CrossMark

Received: November 10, 2024

Revised: February 06, 2025

Accepted: February 14, 2025

Published: March 25, 2025



Send Orders for Reprints to  
[reprints@benthamscience.net](mailto:reprints@benthamscience.net)

## 1. INTRODUCTION

Pregnancy is a time of significant physiological change, and many individuals seek advice on how to manage these effects. One common concern is the development of striae gravidarum (SG), or pregnancy stretch marks, which often appear on the abdomen, breasts, hips, and thighs and affect up to 90% of pregnant individuals [1]. Although SG is not life-threatening, it can negatively impact the quality of life

[2]. With the rise of social media, particularly TikTok, there has been a surge in content focused on the prevention and management of these marks.

TikTok, known for its short, algorithm-driven videos, has rapidly gained over 1 billion users across 150 countries, surpassing both Facebook and Instagram in downloads and usage time [3, 4]. This platform's reach and popularity have made it a prominent source of information across various

topics, including health and wellness. A recent survey revealed that many women aged 18 to 29 obtain health information on this platform, either by actively seeking it or encountering it unintentionally [5]. This demographic is especially likely to be exposed to pregnancy-related skincare content.

However, the credibility of TikTok content varies widely. While some TikTok videos are created by healthcare professionals who emphasize evidence-based recommendations, others are produced by influencers or creators with varying expertise [6]. This inconsistency in content sources raises concerns about the reliability of the information presented, as viewers may encounter advice that is not only inaccurate but potentially harmful. This potential for misinformation could influence viewers' practices in SG prevention and treatment.

This study evaluates the messaging surrounding SG content on TikTok. Specifically, it analyzes the types of advice offered, assesses the credibility of the sources and recommendations, and examines engagement levels. The findings aim to offer insights into how effectively this platform educates and supports pregnant individuals in managing SG, while also enhancing understanding of social media's role in health education. Additionally, the study aims to inform healthcare professionals and content creators, encouraging them to deliver accurate and valuable information to their audiences.

2. MATERIALS AND METHODS

A cross-sectional study was conducted on TikTok on August 10, 2024, and August 11, 2024. The search term “pregnancy stretch marks” was entered, and results were sorted by like count. To focus on the most engaging and influential content, the top 100 most-liked videos were selected for analysis. For each video, the posting date, along with the number of views, likes, comments, saves, and shares were recorded. Videos were categorized by creator roles (dermatologist, esthetician, social media influencer, *etc.*) as indicated in the video or on the creator's profile. Whether the creator represented skin of color (Fitzpatrick skin types IV-VI) was documented, along with the primary language used in the video.

Videos were analyzed to identify key content categories (personal experiences, prevention tips, treatment strategies, body positivity, educational takeaways, humor, sponsored content, *etc.*), with each video fitting into one or more categories. When prevention or treatment advice was provided, all products or ingredients mentioned were documented. Any references to factors contributing to the development of SG, such as genetics, were also noted.

3. RESULTS

3.1. Engagement Metrics

The 100 most-liked TikTok videos related to pregnancy stretch marks were posted between June 2020 to July 2024. Altogether, they received over 87 million views and 7 million likes, among other engagement metrics (Table 1).

3.2. Creators

Social media influencers created 88% of the analyzed videos, while dermatologists contributed to only 5% of the popular SG TikTok content. Other creators included estheticians, pharmacists, and skincare companies (Fig. 1). Approximately 95% of the videos were in English, while 2% were in Spanish, 2% in Indonesian, and 1% in Filipino. Only 14% of content creators represented skin of color.

Table 1. Total interaction data for the top 100 most-liked tiktok videos on SG.

Engagement Metric	Total Count
Total Likes	7,092,525
Total Comments	32,832
Total Saves	1,701,225
Total Shares	203,486
Total Views	87,504,500

3.3. Content Categories

Personal experiences were the most common content focus, followed by prevention tips and body positivity (Fig. 2). Sponsored content, including paid partnerships and advertisements, appeared in 13 videos. Only one video focused solely on education without providing personal experiences or SG management advice.

3.4. Prevention and Treatment Advice

Bio-Oil Skincare Oil and Palmer's Cocoa Butter Formula Products were the top-recommended branded products for preventing pregnancy stretch marks (Fig. 3). Commonly mentioned preventative ingredients in generic or homemade products included shea butter, hyaluronic acid, and coconut oil (Fig. 4). Preventative practices like dry brushing, avoiding skin scratching, and staying hydrated were each mentioned in two videos. For treating existing pregnancy stretch marks, retinoids were the most frequently mentioned, followed by microneedling (Fig. 5). The role of genetics in the development of SG was acknowledged in 21% of videos, and the rate of skin stretching was noted in 1% of videos.

4. DISCUSSION

In addition to causing physical changes, SG is associated with significant psychosocial burden and decreased quality of life [2]. Given these impacts and the rise of social media, platforms like TikTok have emerged as popular spaces for individuals to seek advice on the prevention and treatment of SG. Our cross-sectional study of the 100 most-liked TikTok videos on this topic revealed a total view count exceeding 87 million, with over 9 million interactions: likes, comments, saves, and shares. This substantial engagement suggests the potential of TikTok as an informational resource for SG management.

Our analysis indicated an imbalance in the types of content creators contributing to SG-related content on TikTok. Social media influencers accounted for 88% of the content landscape, while dermatologists were involved in only 5% of the most popular content. This disparity may

explain why personal stories were identified as the most prevalent content type, whereas only one video focused purely on education. Body positivity was also a frequently featured theme. While personal stories and body positivity resonate with viewers, the limited diversity among content creators restricts the range of experiences and pers-

pectives shared. Notably, only 14% of content creators represented skin of color, potentially fostering unrealistic expectations about how SG manifests in these skin tones. Prior research has similarly demonstrated the shortage of dermatologist-driven, skin-of-color dermatology content on social media [7-10].




Fig. (1). Relative proportion of content sources in the top 100 most-liked TikTok videos on SG.






Fig. (2). Content categories (non-mutually exclusive) of the top 100 most-liked TikTok videos on SG.




**Fig. (3).** Distribution of pregnancy stretch mark prevention products recommended in popular TikTok videos on SG, with the number inside each slice indicating how many videos mentioned each product.



**Fig. (4).** Distribution of pregnancy stretch mark prevention ingredients recommended in popular TikTok videos on SG, with the number inside each slice indicating how many videos mentioned each ingredient.





**Fig. (5).** Distribution of pregnancy stretch mark treatment products, ingredients, and procedures recommended in popular TikTok videos on SG, with the number inside each slice indicating how many videos mentioned each treatment method.

Despite the limited involvement of dermatologists, prevention tips and treatment options were commonly discussed in the content. Oil blends infused with vitamins and plant extracts, as well as cocoa butter formulations, were the most popular SG prevention recommendations. However, a systematic literature review indicates that most preventive strategies for SG lack strong evidence from large, randomized studies. Only *Centella asiatica* extract, specifically mentioned in just 2 videos, hyaluronic acid, recommended in 5 videos, and daily massages showed some promise, though further studies are necessary [11]. In contrast, widely recommended ingredients like almond oil, olive oil, and cocoa butter, which were mentioned in over 25 videos, have not been shown to significantly decrease SG incidence compared with placebo [11]. This highlights a gap between popular social media recommendations and strategies supported by current evidence.

These understudied methods may give the false impression of being effective for individuals without a predisposition for developing SG. The etiology of SG remains unclear, with contributing factors, such as hormonal changes during pregnancy and risk factors including young maternal age and a family history of SG [12, 13]. Conflicting reports exist regarding the role of the mechanical tension from skin stretching in the development of SG, as seen with increased pre-pregnancy weight, pre-delivery weight, and birth weight [1, 2]. In our study, the role of genetics in the development of SG was acknowledged in 21% of videos, and 1% mentioned the rate of skin stretching. This limited emphasis on individual predispositions oversimplifies the complexity of SG development, potentially leading viewers to believe that prevention is universally achievable.

Regarding treatment options for existing SG, although the majority of TikTok videos analyzed promoted treatments lacking sufficient evidence, the most frequently

recommended treatment methods were retinoids, microneedling, and other cosmetic procedures. According to a systematic literature review, topical tretinoin and non-ablative fractional lasers have shown some efficacy in treating SG [11]. Additionally, microneedling has demonstrated effectiveness for nongestational striae, suggesting its potential for treating SG, especially when combined with platelet-rich plasma treatment or laser treatments [11, 14]. Although more research is necessary, emphasizing scientifically supported methods like these could better guide individuals seeking effective SG treatments.

Overall, many of the prevention and treatment methods mentioned in the TikTok videos analyzed in our study, including 13 videos featuring sponsored content, lack scientific validation and proven clinical effectiveness, potentially creating unrealistic expectations and further contributing to the psychosocial burden of SG. Additionally, these methods carry various financial costs and health risks [15]. Beyond social media recommendations, there remains a general lack of research and effective options for the prevention and treatment of SG. These findings underscore the need for further research on the etiology and management of SG, along with more accurate social media content, to improve understanding and set realistic expectations about this common condition.

One limitation of our study is the influence of TikTok's personalized algorithm, which tailors content to each individual user. As a result, although videos were sorted by like count, the 100 most-liked videos analyzed may not reflect the content other users encounter, potentially limiting the generalizability of our findings. The exact mechanisms by which TikTok's algorithm promotes certain videos remain unclear, motivating our study to explore the types of videos the algorithm appears to amplify in relation

to SG prevention and treatment. While our study offers initial insights into these patterns, further research is needed to understand how social media algorithms shape the dissemination of health-related information.

## CONCLUSION

This study reveals that many prevention and treatment methods for SG on TikTok are not evidence-based, potentially fostering unrealistic expectations for pregnant individuals. The predominance of social media influencers, limited involvement of dermatologists, and prevalence of sponsored content raise concerns about the reliability of the information shared. Although a few SG prevention methods, like *Centella asiatica* and hyaluronic acid, show promise, most recommendations lack strong clinical support. To address the psychosocial impact of SG and minimize the risks of unproven treatments, it is important for healthcare professionals to provide scientifically validated content and ensure it reaches a wide audience. Further research on the etiology and management of SG is needed to guide effective prevention and treatment.

## AUTHORS' CONTRIBUTIONS

It is hereby acknowledged that all authors have accepted responsibility for the manuscript's content and consented to its submission. They have meticulously reviewed all results and unanimously approved the final version of the manuscript.

## ETHICS APPROVAL AND CONSENT TO PARTICIPATE

Not applicable.

## HUMAN AND ANIMAL RIGHTS

Not applicable.

## CONSENT FOR PUBLICATION

Not applicable.

## AVAILABILITY OF DATA AND MATERIALS

All the data and supporting information are provided within the article.

## FUNDING

None.

## CONFLICT OF INTEREST

The authors declare no financial interests, affiliations, or conflicts of interest.

## ACKNOWLEDGEMENTS

Declared none.

## DECLARATION OF GENERATIVE AI AND AI-ASSISTED TECHNOLOGIES IN THE WRITING PROCESS

During the preparation of this work the authors used ChatGPT for language editing. Following the use of this

tool, the authors reviewed and edited the content thoroughly and hereby declare full responsibility for the authenticity of the contents of this publication.

## REFERENCES

- [1] Korgavkar K, Wang F. Stretch marks during pregnancy: A review of topical prevention. *Br J Dermatol* 2015; 172(3): 606-15. <http://dx.doi.org/10.1111/bjd.13426> PMID: 25255817
- [2] Karhade K, Lawlor M, Chubb H, Johnson TRB, Voorhees JJ, Wang F. Negative perceptions and emotional impact of striae gravidarum among pregnant women. *Int J Womens Dermatol* 2021; 7(5) (5Part B): 685-91. <http://dx.doi.org/10.1016/j.ijwd.2021.10.015> PMID: 35028366
- [3] Gu L, Gao X, Li Y. What drives me to use TikTok: A latent profile analysis of users' motives. *Front Psychol* 2022; 13: 992824. <http://dx.doi.org/10.3389/fpsyg.2022.992824> PMID: 36532978
- [4] Zheng DX, Mulligan KM, Scott JF. TikTok and dermatology: An opportunity for public health engagement. *J Am Acad Dermatol* 2021; 85(1): e25-6. <http://dx.doi.org/10.1016/j.jaad.2021.02.050> PMID: 33639245
- [5] Kirkpatrick CE, Lawrie LL. TikTok as a source of health information and misinformation for young women in the United States: Survey study. *JMIR Infodermatology* 2024; 4(1): e54663. <http://dx.doi.org/10.2196/54663> PMID: 38772020
- [6] Villa-Ruiz C, Kassamali B, Mazori DR, Min M, Cobos G, LaChance A. Overview of TikTok's most viewed dermatologic content and assessment of its reliability. *J Am Acad Dermatol* 2021; 85(1): 273-4. <http://dx.doi.org/10.1016/j.jaad.2020.12.028> PMID: 33359080
- [7] Wells T, Rundle C, Szeto M, Presley C, Dellavalle R. An analysis of skin of color dermatology related content on instagram. *J Drugs Dermatol* 2020; 19(7): 746-54. <http://dx.doi.org/10.36849/JDD.2020.5142> PMID: 32722911
- [8] Patel J, Braswell AC, Jimenez VS, Brown MB, Hartman CL. Exploration of skin of color dermatology content on youtube. *J Drugs Dermatol* 2023; 22(7): 678-84. <http://dx.doi.org/10.36849/JDD.6995> PMID: 37410042
- [9] Fritsche M, King T, Hollins L. Skin of color in dermatology: Analysis of content and engagement on tiktok. *J Drugs Dermatol* 2022; 21(7): 718-22. <http://dx.doi.org/10.36849/JDD.6784> PMID: 35816063
- [10] Campbell JR, Woolery-Lloyd H, Williams K. Tiktok and black skin: Is this a missed opportunity for dermatologists? *J Drugs Dermatol* 2023; 22(7): 698-700. <http://dx.doi.org/10.36849/JDD.7061> PMID: 37410044
- [11] Farahnik B, Park K, Kroumpouzou G, Murase J. Striae gravidarum: Risk factors, prevention, and management. *Int J Womens Dermatol* 2017; 3(2): 77-85. <http://dx.doi.org/10.1016/j.ijwd.2016.11.001> PMID: 28560300
- [12] Türkmen H, Yörük S. Risk factors of striae gravidarum and chloasma melasma and their effects on quality of life. *J Cosmet Dermatol* 2023; 22(2): 603-12. <http://dx.doi.org/10.1111/jocd.14783> PMID: 35037372
- [13] Picard D, Sellier S, Houivet E, et al. Incidence and risk factors for striae gravidarum. *J Am Acad Dermatol* 2015; 73(4): 699-700. <http://dx.doi.org/10.1016/j.jaad.2015.06.037> PMID: 26369842
- [14] Huang Q, Xu L, Wu T, Mu YZ. New progress in therapeutic modalities of striae distensae. *Clin Cosmet Investig Dermatol* 2022; 15: 2101-15. <http://dx.doi.org/10.2147/CCID.S379904> PMID: 36213315
- [15] Zhu H, Kannan K. Parabens in stretch mark creams: A source of exposure in pregnant and lactating women. *Sci Total Environ* 2020; 744: 141016. <http://dx.doi.org/10.1016/j.scitotenv.2020.141016> PMID: 32755791

**DISCLAIMER:** The above article has been published, as is, ahead-of-print, to provide early visibility but is not the final version. Major publication processes like copyediting, proofing, typesetting and further review are still to be done and may lead to changes in the final published version, if it is eventually published. All legal disclaimers that apply to the final published article also apply to this ahead-of-print version.